

US Crossing
Plans & Specifications
Capital Improvements

In accordance with Section 13 of Shoreline City Ordinance No. 203, and in exchange for the rights provided by that Ordinance, US Crossing agrees to perform the following work on behalf of the City of Shoreline:

1. Install two 2-inch conduits along the same path as US Crossing's installation within the City.
2. Said conduit shall be of the same grade and quality as that utilized by US Crossing for its system within the City.
3. Said conduit shall be installed in the same manner and to the same standard and specifications utilized by US Crossing in constructing its system within the City.
4. Install access vaults at the following approximate locations to allow the City access to the conduit installed on the City's behalf:

<u>Distance from</u>	<u>Cross street to authorized route</u>
500 feet North	N 145th Street
600 feet South	N 155th Street
300 feet North	N 160th Street
250 feet North	N 165th Street
600 feet South	N 175th Street
500 feet South	N 185th Street
400 feet South	N 192nd Street
350 feet South	N 200th Street
400 feet South	N 205th Street

5. All of the vaults will be located in the center turn lane.
6. The top of the vaults will be set below existing grade a minimum of 12-inches to allow adjustments in profile. Access to vaults shall be placed at existing street grade and shall be designed for traffic loads.
7. The City will be shown as the owners of the two 2" conduits and access vaults on the plans and in the ROW permit.
8. US Crossing will complete all necessary documentation requested by the City to establish the City's ownership of the provided facilities.
9. The conduit system installed by US Crossing on the City's behalf shall be completed along with the completion of US Crossing's system within Shoreline which shall be no later than February 28, 2000.
10. Plans and illustrative diagrams are attached.