Overview SEPA E

Project is Proposed

3 Build Alternatives Developed Note: Development of more than one alternative is only required if the project goes to EIS. The City has Initiate Environmental Review chosen to evaluate three alternatives regardess of level documentation that will ultimately be required. We are Scoping - Solicit Public and Agency Comments on Alternatives Note: Scoping is only required for an EIS. The City has here. chosen to implement a full scoping process regardless of the level of envrionmental documentation that will ultimately be required. Prepare Environmental Discipline Reports -Analyze 1 No-Build and 3 Build Alternatives Discipline Reports Reviewed and Approved by WSDOT and FHWA Discipline Reports available for public review after finalization by FHWA. City Select Recommended Alternative Guided by the results of the impact analysis presented in the Discipline Reports. Lead Agencies Determine Necessary Level of **Environmental Documenation** Prepare NEPA/SEPA Environmental Documents and Biological Assessment for Recommended Alternative **Public Review of Environmental Documents** Are Significant Impacts Likely? **NEPA** NEPA/SEPA Environmental Impact Documented Categorical Exclusion (No Significant Impacts, Statement (EIS) Required No Mitigation Needed); or Environmental Assessment (No Significant Impacts, Could Include Mitigation) *Scoping/Public Notice of Intent SEPA Environmental Checklist Draft EIS (NEPA/SEPA) Determination is Issued: NEPA - Finding of No Significant Impact (FONSI) **Public Comment Period** SEPA - Determination of Non-Significance (DNS) Final EIS (NEPA/SEPA)

*Note: If the project goes to EIS, Scoping completed at project initiation will have already satisfied this requirement.





Agency Decision (Federal and Local)

Aurora Corridor Improvement Project • N 165th Street-N 205th Street

Public Comment Period

Agency Decision (Federal and Local)