




* AS NECESSARY TO MEET TERRAIN AND SIGHT DISTANCE REQUIREMENTS



NOTES:

- ① FLATTER SLOPE MAY BE REQUIRED IN LESS STABLE SOIL.
- ② FOR ROCKERY HEIGHTS EXCEEDING 4', SEE STND DWG 504.
- ③ SEE WSDOT/APWA 9-03.12[4].
- 4. A HANDRAIL OR GUARDRAIL, PER STND DWG 324, IS REQUIRED WHEN ROCKERY HEIGHT IS 3' OR GREATER. THE USAGE OF A CHAIN LINK FENCE, PER STND DWG 327, MAY BE APPROVED BY THE PUBLIC WORKS DIRECTOR OR DESIGNEE.
- 5. TRAFFIC BARRIERS MAY BE REQUIRED ON ROADS WITH SPEED LIMITS OF 30 MPH OR GREATER, WHERE ROCKERY HEIGHTS EXCEED 6'. SEE CHAPTER 7 OF THE WSDOT DESIGN MANUAL.
- 6. ALL ROCKERIES OVER 4' IN HEIGHT ON PUBLIC OR PRIVATE PROPERTY SHALL HAVE A DETAILED, SIGNED, AND STAMPED DRAWING BY AN ENGINEER.

 <p>CITY OF SHORELINE</p>	<p>Public Works Planning and Development Services</p>		<h1 style="margin: 0;">Rock Facing - Fill Section</h1>	<h1 style="margin: 0;">502</h1>
				NOT TO SCALE
				Revision Date December 2006