



NOTES:

- ① WSDOT/APWA 9-03.12[4].
- ② A HANDRAIL OR GUARDRAIL, PER STND DWG 324, IS REQUIRED WHEN ROCKERY HEIGHT IS 3' OR GREATER. THE USAGE OF A CHAIN LINK FENCE, PER STND DWG 327, MAY BE APPROVED BY THE PUBLIC WORKS DIRECTOR OR DESIGNEE.
- ③ CAP SHALL BE CONCRETE CLASS 3000.
- ④ FLATTER SLOPE MAY BE REQUIRED IN LESS STABLE SOILS.
- ⑤ FOR ROCKERY HEIGHTS EXCEEDING 4', SEE STND DWG 504.
- 6. TRAFFIC BARRIERS MAY BE REQUIRED ON ROADS WITH SPEED LIMITS OF 30 MPH OR GREATER, WHERE HEIGHTS EXCEED 6'. SEE CHAPTER 7 OF THE WSDOT DESIGN MANUAL.
- 7. ALL ROCKERIES OVER 4' IN HEIGHT ON PUBLIC OR PRIVATE PROPERTY SHALL HAVE A DETAILED, SIGNED, AND STAMPED DRAWING BY AN ENGINEER.

 <p>CITY OF SHORELINE</p>	<p>Public Works Planning and Development Services</p>		<h1 style="margin: 0;">Rock Facing Under Sidewalk</h1>	<h1 style="margin: 0;">503</h1>
				<p>NOT TO SCALE</p> <p>Revision Date December 2006</p>